

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	2	"20030033108"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:40		
2	BRS	1	"20030028337"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:44		
3	BRS	1377	layer\$2 with board and conduct\$3 with trace	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:46		
4	BRS	273	layer\$2 with board and conduct\$3 with trace with via	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:06		
5	BRS	1	layer\$2 with board and conduct\$3 with trace with via and tamper adj1 resistance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:51		
6	BRS	1	layer\$2 with board and conduct\$3 with trace with via and (interfere or tamper) with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:54		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7	BRS	9	layer\$2 with board and conduct\$3 with trace with via with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:59		
8	IS&R	2	("6215373").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 15:59		
9	BRS	4	layer\$2 with board and conduct\$3 with trace with via with sheet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:09		
10	BRS	11	5953213.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:11		
11	BRS	9	5953213.uref. and layer\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:12		
12	BRS	3	(5953213.uref.) and layer\$2 with via with conduct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:26		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
13	BRS	3069	361/760-767.ccls.	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; 16:37 IBM_TDB	2003/07/08 16:37		
14	BRS	3609	257/686,93,700,734.ccls.	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; 16:37 IBM_TDB	2003/07/08 16:37		
15	BRS	3491	174/52.1,52.4.ccls.	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; 16:33 IBM_TDB	2003/07/08 16:33		
16	BRS	228	439/69.ccls.	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; 16:35 IBM_TDB	2003/07/08 16:35		
17	BRS	2112	702/57,60,62,64,65,133,for .103,for.104,for.106,for.1 11,for.157,for.155.ccls.	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; 16:36 IBM_TDB	2003/07/08 16:36		
18	BRS	4045	361/760-767,791,792,794,79 5.ccls.	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 13:50 IBM_TDB	2003/07/09 13:50		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
19	BRS	9679	257/202,207,208,209,210,211,212,773,774,776,686,93,700,734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:10		
20	BRS	4413	716/1-18.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 16:38		
21	BRS	0	62153673.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 17:54		
22	BRS	7	layer\$2 with circuit\$1 with encryption with decryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 16:17		
23	BRS	371	257/679.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:10		
24	BRS	1	257/679.ccls. and layer\$2 and tamper with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:11		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
25 BRS	1	(257/679.ccls.) and layer\$2 and tamper with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:12		
26 BRS	1	(257/\$.ccls.) and layer\$2 and tamper with resistance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:13		Truncation overflow.
27 BRS	6	(257/\$.ccls.) and layer\$2 and tamper with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:48		Truncation overflow.
28 BRS	548	(257/\$.ccls.) and layer\$2 and sheet\$1 with foil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:18		Truncation overflow.
29 BRS	548	(257/\$.ccls.) and (layer or layers or layered) and (sheet or sheets) with foil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:18		Truncation overflow.
30 BRS	70	(257/\$.ccls.) and layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 18:20		Truncation overflow.

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
31	BRS	27	(257/\$.ccls.) and layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1 with via\$1	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; IBM_TDB	2003/07/08 18:29		Truncation overflow.
32	BRS	0	(257/\$.ccls.) and layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1 with via\$1 and encryption with decryption	USPAT; US-PGPUB; EPO; 2003/07/08 JPO; DERWENT; IBM_TDB	2003/07/08 18:32		Truncation overflow.
33	BRS	1	layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1 with via\$1 and encryption with decryption	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; IBM_TDB	2003/07/09 11:26		
34	BRS	71	layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1 with via\$1	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; IBM_TDB	2003/07/09 11:39		
35	BRS	13	layers with resist\$4 and (plane\$1 or (sheet\$1 adj foil)) and signal with conduct\$3 with trace\$1 with via\$1	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; IBM_TDB	2003/07/09 11:42		
36	BRS	1028	(257/\$.ccls.) and layers with circuit\$2 with component\$1	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; IBM_TDB	2003/07/09 11:57		Truncation overflow.

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
37	BRS	1	(257/\$.ccls.) and layers with circuit\$2 with component\$1 with conduct\$3 with via\$1 with trace\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:59		Truncation overflow.
38	IS&R	2	("5369299").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:12		
39	BRS	1	signal with conduct\$3 with trace\$1 with via\$1 with tamper with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:37		
40	BRS	43	signal with conduct\$3 with trace\$1 with via\$1 with layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:22		
41	BRS	1	signal with tamper with resistance with layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:25		
42	BRS	3	signal with tamper with resistance and layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:26		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
43	BRS	432	(conduct\$4 or signal) with (interfer\$4 or tamper) with resist\$4 and layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:29		
44	BRS	1	layers with (conduct\$4 or signal) with trace\$1 with via\$1 with (interfer\$4 or tamper) with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:31		
45	BRS	47	(conduct\$4 or signal) with (interfer\$4 or tamper) with resist\$4 with layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:45		
46	BRS	245	(conduct\$4 or signal) with ((interfer\$4 or tamper) adj resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:50		
47	BRS	51	(conduct\$4 or signal) with ((interfer\$4 or tamper) adj resist\$4) and layer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:39		
48	BRS	5	((signal adj line) or (conduct\$3 adj1 trace\$1)) with tamper with resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:56		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
49	BRS	3	(multilayer or layers) with (board or boards) with (tamper-resistant or tamper-resistance or (tamper adj1 resistance) or (tamper adj1 resistant))	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 15:59 IBM_TDB			
50	IS&R	2	("5835781").PN.	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 15:59 IBM_TDB			
51	BRS	432	tamper adj resist\$4 and encryption with decryption	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 16:18 IBM_TDB			
52	BRS	49	tamper adj resist\$4 with encryption with decryption	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 16:29 IBM_TDB			
53	BRS	0	layers with tamper adj resist\$4 with (encryption or decryption)	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 16:30 IBM_TDB			
54	BRS	1	layers same tamper adj resist\$4 with (encryption or decryption)	USPAT; US-PGPUB; EPO; 2003/07/09 JPO; DERWENT; 16:30 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
55	BRS	6	IC same tamper adj resist\$4 with (encryption or decryption)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 16:31		
56	BRS	1	layers with security with (signal\$1 or data) with transfer\$4 with encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:29		
57	BRS	37	(multilayer or layers) and security with (signal\$1 or data) with transfer\$4 with encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:20		
58	BRS	221	security with (signal\$1 or data) with transfer\$4 with encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:32		
59	BRS	7	design with check\$3 with (multilayer or layers) with board	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 09:47		
60	BRS	1	multilayer adj board with tamper adj resistance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 08:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
61	BRS	1	multilayer adj board and tamper adj resistance	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:39 IBM_TDB	2003/09/13 08:39		
62	BRS	1	(multilayer or layers) adj board and tamper adj resistance	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:58 IBM_TDB	2003/09/13 08:58		
63	BRS	2746	(multilayer or layers) adj board	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:40 IBM_TDB	2003/09/13 08:40		
64	BRS	1351	tamper adj resistance	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:41 IBM_TDB	2003/09/13 08:41		
65	BRS	1351	tamper adj1 resistance	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 09:22 IBM_TDB	2003/09/13 09:22		
66	BRS	7	tamper adj1 resistance with board	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:44 IBM_TDB	2003/09/13 08:44		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
67	IS&R 2		("5835781").PN.	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:47 IBM_TDB			
68	BRS 0		(tamper-resist\$4 or (tamper adj1 resist\$4)) with transfer\$3 with data with transmi\$5 with encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:51 IBM_TDB			
69	BRS 0		(tamper-resist\$4 or (tamper adj1 resist\$4)) and transfer\$3 with data with transmi\$5 with encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:51 IBM_TDB			
70	BRS 0		(tamper-resist\$4 or (tamper adj1 resist\$4)) and transfer\$3 with data with encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:52 IBM_TDB			
71	BRS 1		(tamper-resist\$4 or (tamper adj1 resist\$4)) and data with encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:58 IBM_TDB			
72	BRS 273		(multilayer or layers) adj board\$1 and conduct\$3 with trace\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 08:59 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73	BRS	52	(multilayer or layers) adj board\$1 and conduct\$3 with trace\$1 with via	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 08:59		
74	BRS	11	(multilayer or layers) adj board\$1 and conduct\$3 with trace\$1 with via with (foil or plane\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:00		
75	BRS	11	(multilayer or layers) adj board\$1 and conduct\$3 with trace\$1 with via with (foil\$1 or plane\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:14		
76	BRS	0	714/255,260,261,262,264,265,266.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:16		
77	BRS	4501	174/255,260,261,262,264,265,266.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:17		
78	BRS	700	439/65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:20		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
79	BRS	0	6593535.uref.	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 09:20 IBM_TDB	2003/09/13 09:20		
80	BRS	61	174/\$.ccls. and (tamper-resist\$4 or (tamper adj1 resist\$4))	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:35 IBM_TDB	2003/09/13 11:35		
81	BRS	0	174/\$.ccls. and (tamper-resist\$4 or (tamper adj1 resist\$4)) with circuit\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 09:25 IBM_TDB	2003/09/13 09:25		
82	BRS	238	(tamper-resist\$4 or (tamper adj1 resist\$4)) with (board\$1 or circuit\$1)	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:12 IBM_TDB	2003/09/13 14:12		
83	BRS	3	(tamper-resist\$4 or (tamper adj1 resist\$4)) with (board\$1 or circuit\$1) and conduct\$3 with trace\$1	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; 13:56 IBM_TDB	2003/09/14 13:56		
84	BRS	1	signal with (tamper-resist\$4 or (tamper adj1 resist\$4)) with conduct\$4 with via	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 09:52 IBM_TDB	2003/09/13 09:52		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
85	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) with conduct\$4 with via	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:53		
86	BRS	48	(tamper-resist\$4 or (tamper adj1 resist\$4)) with foil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 12:23		
87	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) with via with conduct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 11:01		
88	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) with hole\$1 with conduct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 11:02		
89	IS&R	2	("6215373").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 11:02		
90	BRS	2	(tamper-resist\$4 or (tamper adj1 resist\$4)) and layer\$1 with via\$1 with hole\$1 with conduct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 11:46		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
91	BRS	0	174/\$.cccls. and (tamper-resist\$4 or (tamper adj1 resist\$4)) and conduct\$3 adj trace	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:35 IBM_TDB	2003/09/13 11:35		
92	BRS	4415	conduct\$3 adj trace	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:36 IBM_TDB	2003/09/13 11:36		
93	BRS	1840	conduct\$3 adj trace\$1 with via\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:36 IBM_TDB	2003/09/13 11:36		
94	BRS	0	conduct\$3 adj trace\$1 with via\$1 with hold\$1 with foil\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:36 IBM_TDB	2003/09/13 11:36		
95	BRS	1	conduct\$3 adj trace\$1 with via\$1 with hold\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:36 IBM_TDB	2003/09/13 11:36		
96	BRS	292	conduct\$3 adj trace\$1 with via\$1 with hole\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 11:36 IBM_TDB	2003/09/13 11:36		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
97	BRS	3	conduct\$3 adj trace\$1 with via\$1 with hole\$1 with foil\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 11:36		
98	BRS	2	"20030028337"	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 11:47		
99	BRS	2	"20020195271"	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 12:23		
100	BRS	9	(tamper-resist\$4 or (tamper adj1 resist\$4)) and layer\$1 with via\$1 with conduct\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 12:33		
101	BRS	101	(tamper-resist\$4 or (tamper adj1 resist\$4)) and via\$1 with conduct\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 12:34		
102	BRS	1080	174/262.cccls.	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; IBM_TDB	2003/09/13 12:35		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
103	BRS	523	174/262.ccls. and conduct\$3 with via\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:35 IBM_TDB	2003/09/13 12:35		
104	BRS	225	174/262.ccls. and conduct\$3 with via\$1 with board\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:35 IBM_TDB	2003/09/13 12:35		
105	BRS	165	174/262.ccls. and conduct\$3 with via\$1 with circuit with board\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:36 IBM_TDB	2003/09/13 12:36		
106	BRS	122	174/262.ccls. and conduct\$3 with via\$1 with layer\$1 with circuit with board\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:36 IBM_TDB	2003/09/13 12:36		
107	BRS	11	174/262.ccls. and resist\$4 with conduct\$3 with via\$1 with layer\$1 with circuit with board\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:39 IBM_TDB	2003/09/13 12:39		
108	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) and conduct\$3 with via\$1 with layer\$1 with circuit with board\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:39 IBM_TDB	2003/09/13 12:39		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
109	BRS	101	(tamper-resist\$4 or (tamper adj1 resist\$4)) and conduct\$3 with via\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:40 IBM_TDB			
110	BRS	5	(tamper-resist\$4 or (tamper adj1 resist\$4)) and conduct\$3 with via\$1 with layers	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:53 IBM_TDB			
111	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) with multi-layer	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 12:54 IBM_TDB			
112	BRS	70	(tamper-resist\$4 or (tamper adj1 resist\$4)) and multi-layer	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 09:15 IBM_TDB			
113	BRS	11	(tamper-resist\$4 or (tamper adj1 resist\$4)) with (board\$1 or circuit\$1) and conduct\$4 with via\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 13:05 IBM_TDB			
114	BRS	3	signal with (tamper-resist\$4 or (tamper adj1 resist\$4)) with (board\$1 or circuit\$1) and conduct\$4 with via\$1	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 13:05 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
115	BRS	101	(tamper-resist\$4 or (tamper adj1 resist\$4)) and via\$1 with conduct\$4	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:19 IBM_TDB			
116	BRS	1	(multilayer or layers) with via\$1 with conduct\$3 with metal with interfer\$2	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:22 IBM_TDB			
117	BRS	8	via\$1 with conduct\$3 with metal with interfer\$2	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:22 IBM_TDB			
118	BRS	973	(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:44 IBM_TDB			
119	BRS	217	(tamper-resist\$4 or (tamper adj1 resist\$4)) with encrypt\$3	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:48 IBM_TDB			
120	BRS	0	(multiplayer or layers) with conduct\$3 with via\$1 with contact\$1 and (encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:50 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
121	BRS 4		(multiplayer or layer\$1) with conduct\$3 with via\$1 with contact\$1 and (encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:51 IBM_TDB	2003/09/13 14:51		
122	BRS 61		(multiplayer or layer\$1) with conduct\$3 with via\$1 and (encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; 2003/09/13 JPO; DERWENT; 14:51 IBM_TDB	2003/09/13 14:51		
123	BRS 2		"20010033012"	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; 11:56 IBM_TDB	2003/09/14 11:56		
124	IS&R 2		("6421013").PN.	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; 12:01 IBM_TDB	2003/09/14 12:01		
125	IS&R 2		("6236727").PN.	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; 12:10 IBM_TDB	2003/09/14 12:10		
126	IS&R 2		("6164548").PN.	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; 12:10 IBM_TDB	2003/09/14 12:10		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
127	IS&R 2		("6175088").PN.	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 12:56		
128	BRS 0		cpu adj multilayer adj board	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 12:57		
129	BRS 2038		multilayer adj1 board	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 12:59		
130	IS&R 2		("6236727").PN.	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 13:53		
131	BRS 2		"20010033012"	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 13:53		
132	BRS 1		(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 with decrypt\$3 with convert with digit\$2	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 13:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
133	BRS	11	(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 with decrypt\$3 with convert\$3 with digit\$2	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 14:04		
134	BRS	12	(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 with decrypt\$3 with output with interface	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 14:05		
135	BRS	1	(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 with decrypt\$3 with output with interface with digital	USPAT; US-PGPUB; EPO; 2003/09/14 JPO; DERWENT; IBM_TDB	2003/09/14 14:06		
136	BRS	7	(tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 with decrypt\$3 and output with interface with digital	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; IBM_TDB	2003/09/15 08:50		
137	BRS	1	conduct\$3 with interface with decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; IBM_TDB	2003/09/15 08:53		
138	BRS	4	conductive with decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; IBM_TDB	2003/09/15 08:55		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
139	BRS	0	conductive with decrypt\$3 with convert\$3	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 08:55 IBM_TDB	2003/09/15 08:55		
140	BRS	4	conductive with decrypt\$3 and decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 08:56 IBM_TDB	2003/09/15 08:56		
141	BRS	63	conductive and decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 08:56 IBM_TDB	2003/09/15 08:56		
142	BRS	13	conductive with via\$1 and decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 09:03 IBM_TDB	2003/09/15 09:03		
143	IS&R	2	("6289455").PN.	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 09:03 IBM_TDB	2003/09/15 09:03		
144	BRS	54	conduct\$3 with via\$1 and decrypt\$3 with output	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 09:04 IBM_TDB	2003/09/15 09:04		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
145	BRS	33	(tamper-resist\$4 or (tamper adj1 resist\$4)) and conductive with via\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 09:15		
146	BRS	5	(tamper-resist\$4 or (tamper adj1 resist\$4)) and conductive with via\$1 and output with decrypt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 09:16		
147	BRS	1	"20020195171"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:52		
148	BRS	2	"20020195271"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:54		
149	BRS	2	"20010033012"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:55		
150	IS&R	2	("6436735").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:56		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
151	IS&R 2		("6421013").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:57		
152	IS&R 2		("6289455").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:58		
153	IS&R 2		("6236727").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:59		
154	IS&R 2		("6215373").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 11:00		
155	IS&R 2		("6175088").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 11:02		
156	IS&R 2		("6164548").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 11:03		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
157	IS&R 2		("5835781").PN.	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 11:04 IBM_TDB			
158	IS&R 2		("5369299").PN.	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 11:23 IBM_TDB			
159	BRS 2		"20020002683"	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 11:56 IBM_TDB			
160	IS&R 2		("5956415").PN.	USPAT; US-PGPUB; EPO; 2003/09/15 JPO; DERWENT; 11:56 IBM_TDB			